

Bedaquiline Launch Event Social Media Toolkit



Bedaquiline Launch Event Social Media Toolkit

Background

This toolkit provides guidance on how you can highlight the USAID and Janssen bedaquiline donation program in your community and elevate the conversation around tuberculosis (TB) and drug-resistant TB. The Toolkit contains related hashtags and handles, key facts, and some sample Facebook and Twitter content. Feel free to use the key messages to create further social media content. Please contact Rabab Pettitt or Elizabeth Kane on USAID's TB team if you have any questions or if you would like guidance on how to promote the bedaquiline donation program in your communities.

Social Media Tips

- Handles to mention: <u>@USAIDGH</u>, <u>@USAID</u>, <u>@JNJGlobalHealth</u>
- Hashtags to use: #TB, #TBFreeWorld, #DRTB, #MDR
- Retweet any relevant bedaquiline tweets from thought leaders like <u>@USAIDGH</u>,
 <u>@USAID</u>, <u>@JNJGlobalHealth</u>, <u>@StopTB</u>, <u>@GlobalFund</u>, <u>@WHO</u>, etc.
- Tag any relevant Facebook pages such as <u>USAID</u> or <u>Johnson & Johnson</u> in posts

Suggested Messaging

Twitter


- #TB is a global health threat. There are an estimated 9.6M new cases of #TB & 1.5M deaths from #TB every year. More: http://l.usa.gov/ljlXZL0
- <u>@USAID</u> committed 2 working w/ global community 2 reach everyone w/ <u>#TB</u>, cure those in need of trtmnt, & prevent new infections. <u>#TBFreeWorld</u>
- Through continued investment & innovation, we can achieve the goal of a #TBFreeWorld! RT if you agree.
- .@USAID working to successfully treat at least 13M TB patients between 2015 & 2019.
 Learn more: http://l.usa.gov/1LNCsGR
- US Gov't seeks to successfully treat 13M <u>#TB</u> patients & initiate appropriate treatment for 360K individuals w/ DR-TB by 2019. <u>#TBFreeWorld</u>
- Public-private partnerships, innovation, & better use of tools key to global strategy to eradicate #TB by 2035 #TBFreeWorld
- Drug-resistant TB, a form of <u>#TB</u> resistant to trtmnt w/ some of the most powerful anti-TB drugs, is a growing global health challenge. <u>#DRTB</u>



- Bedaquiline is the 1st new <u>#TB</u> drug released in 40 yrs. It is offering hope to treat drugresistant TB. Learn more: http://bit.ly/1csoPPw
- .@JNJGlobalHealth donating \$30M worth of SIRTURO® (bedaquiline) over 4 years through @USAID programs for MDR-#TB. #TBFreeWorld
- .@USAID & @JNJGlobalHealth partnership to provide bedaquiline to fight drugresistant #TB & achieve a #TBFreeWorld.

Facebook

• Bedaquiline, the first new drug to treat drug-resistant tuberculosis (TB) in over 40 years, is an important new tool in the fight against the growing public health threat of antimicrobial resistance. <u>USAID - US Agency for International Development -</u> and partner Janssen Therapeutics of <u>Johnson and Johnson</u> are working together in an innovative public-private partnership to donate this life-saving medication to nearly 100 eligible low- and middle-income countries with a high-burden of multidrug-resistant #TB. Learn more about the bedaquiline donation program here: http://bit.ly/1csoPPw [Attach photo below. List photo credit: Amelia Rutter, Courtesy of Photoshare]





• <u>USAID - US Agency for International Development -</u> and Janssen Therapeutics of <u>Johnson</u> and <u>Johnson</u>'s drug donation program is providing life-saving medication to patients suffering from multi-drug resistant (MDR) tuberculosis (TB). Thanks to this public-private partnership, bedaquiline, the first new medication to fight drug-resistant TB in over 40 years, will be available for free, allowing TB patients to easily access treatment. This innovative partnership is a significant step forward in the global fight against the growing health threat of antibiotic-resistant bacteria. Learn more about drug-resistant #TB and the bedaquiline drug donation program here: http://l.usa.gov/1157BRo [Attach photo below. List photo credit: ICRC]



Other Key Messaging to Create Additional Tweets or Facebook Posts

- Despite being curable, TB remains an enormous global public health issue. In 2014, approximately 9.6 million people developed TB (of these, 3.2 million were women and 1 million were children) and 1.5 million people died from the disease.
- TB kills more than 4,100 people each day, with the majority of deaths (95%) occurring in low and middle-income countries.



- TB disproportionately affects high risk populations, such as people living in poverty, those experiencing crowded living conditions (especially people in urban areas) and poor ventilation, like miners and prisoners.
- With about 0.5 million cases of multidrug-resistant (MDR-TB) emerging in the world, the global TB burden is still very high. In 2014 alone, MDR-TB claimed the lives of an estimated 190,000 people.
- Only 1 in 4 patients are properly diagnosed with drug-resistant TB, and only 1 in 5 are put on treatment. Of these patients, less than half are successfully treated. If left untreated, a person with MDR-TB may infect 10-15 people every year.
- Inadequate TB treatment, lack of adherence linked to a failure to complete TB treatment, and the use of poor quality TB drugs can result in the development of MDR-TB, a form of TB that is resistant to two of the most important first-line drugs, and extensively drug-resistant TB (XDR-TB), which is also resistant to some second-line drugs.
- The world needs new solutions for treating MDR-TB patients. Bedaquiline, developed by
 Janssen Pharmaceuticals, is the first new class of antibiotics that has been FDA approved in
 over 40 years. The use of this drug in combination with existing drugs provides new hope
 for MDR-TB patients with very few treatment options.
- USAID's innovative partnership with Janssen Therapeutics, one of the Janssen
 Pharmaceutical Companies of Johnson & Johnson, aims to step up the global fight against
 the health threat of antibiotic-resistant bacteria. As part of the collaboration, Janssen will
 contribute an estimated \$30 million worth of TB antibiotics, totaling 30,000 courses of the
 anti-TB drug SIRTURO® (bedaquiline) to countries around the world with a high-burden of
 MDR-TB. The donation will facilitate access to the life-saving drug and treatment for nearly
 100 low- and middle-income eligible countries.
- USAID is working with national TB programs, patients and partners to ensure safe and appropriate use of bedaquiline in accordance with the WHO Interim Guidance for the Treatment of MDR-TB.

Resources

- USAID Tuberculosis Page
- USAID AMR/DR-TB Page
- Bedaguiline Donation Information Page